

# EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	46	(soap OR (simple ADJ object ADJ access ADJ protocol)) ADJ proxy	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 15:28
S2	2	(soap OR (simple ADJ object ADJ access ADJ protocol)) ADJ relay	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/03 14:07
S3	4967	(soap OR (simple ADJ object ADJ access ADJ protocol)) SAME (intermedia\$2)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/03 14:07
S4	6	S3 AND (identify ADJ (client OR requestor))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/03 14:18
S6	167504	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:56
S7	2042	S6 SAME (proxy OR relay OR intermediary)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 15:32

# EAST Search History

S8	14	S7 SAME (identif\$3 NEAR3 (client OR caller OR sender))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 11:00
S9	29	identif\$3 NEAR5 (execution ADJ stack)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 16:35
S10	454	(identif\$3 NEAR5 (client OR caller)) SAME (classname OR ((class OR object OR process OR thread) ADJ (name OR identifier OR id)))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:04
S11	345	(identif\$3 NEAR5 (client OR caller)) WITH (classname OR ((class OR object OR process OR thread) ADJ (name OR identifier OR id)))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 16:38
S12	228	(identif\$3 NEAR3 (client OR caller)) NEAR5 (classname OR ((class OR object OR process OR thread) ADJ (name OR identifier OR id)))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/04 16:40
S13	26	S7 AND S10	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 07:27
S16	167613	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 09:21

# EAST Search History

S17	198	S16 SAME (identif\$3 NEAR3 (client OR caller))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:32
S18	27	S16 SAME (identif\$3 NEAR3 (client OR caller) NEAR3 (object OR class OR stack OR api))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 09:56
S19	510	S16 AND (identif\$3 NEAR3 (client OR caller) SAME (object OR class OR stack OR api))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 09:57
S20	259	S16 AND (identif\$3 NEAR3 (client OR caller) WITH (object OR class OR stack OR api))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 09:57
S21	259	S16 AND ((identif\$3 NEAR3 (client OR caller)) WITH (object OR class OR stack OR api))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:01
S22	481	S16 AND ((identif\$3 NEAR3 (client OR caller)) WITH (object OR class OR stack OR api OR method))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:04
S23	2045	S16 SAME (proxy OR relay OR intermediary)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:02

# EAST Search History

S24	99	S22 AND S23	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:03
S25	4198	((identif\$3 NEAR3 (client OR caller)) WITH (object OR class OR stack OR api OR method))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:05
S26	99	S23 AND S25	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:19
S27	46	(identif\$3 NEAR3 (client OR caller)) SAME (debug\$4 OR troubleshoot\$3)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 10:44
S28	2409	S16 AND (identif\$3 NEAR5 (client OR caller))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:32
S29	30	S16 AND ((identif\$3 NEAR5 (client OR caller)) SAME (debug\$4 OR troubleshoot\$3))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:35
S30	2726	S16 AND (identif\$3 NEAR5 source)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:35

# EAST Search History

S31	197	S16 AND (identif\$3 NEAR5 source NEAR5 message)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:37
S32	36	S16 AND (identif\$3 NEAR5 (source ADJ2 message))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:37
S33	167613	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:56
S34	1034	S33 AND (classname OR (class ADJ name))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:57
S35	52	S33 AND ((classname OR (class ADJ name)) WITH (client OR caller))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 12:57
S36	80537	(identif\$3 NEAR5 (client OR caller OR sender OR source))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:06
S37	10359	(identif\$3 NEAR5 (client OR caller OR sender OR source)) WITH ((user ADJ agent) OR api OR stack OR axis OR address)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:24

# EAST Search History

S38	8266	identif\$3 NEAR5 (client OR caller OR sender OR source) NEAR5 ((user ADJ agent) OR api OR stack OR axis OR address)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:10
S39	167613	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:10
S40	516	S38 AND S39	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:13
S41	0	S40 AND "709"/\$.CCLS	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:13
S42	259	S40 AND "709"/\$.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:13
S43	2	(identif\$3 NEAR5 (client OR caller OR sender OR source)) WITH (execution ADJ stack)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/05 13:25
S44	958	(proxy OR intermediary) WITH identif\$4 WITH (client OR caller)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 11:01

# EAST Search History

S45	167647	soap OR (simple ADJ object ADJ access ADJ protocol) OR rpc OR (remote ADJ procedure ADJ call) OR corba OR (remote ADJ method ADJ call)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 11:01
S46	163	S44 AND S45	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 11:02
S47	650	(transmit\$3 OR send\$3) NEAR5 ((class ADJ name) OR (object identifier))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 12:35
S48	89	S45 AND S47	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 12:33
S49	270	(transmit\$3 OR send\$3) NEAR5 ((class ADJ name) OR (object ADJ identifier))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 12:35
S50	29	S45 AND S49	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 12:35
S51	1	header WITH corba WITH (id OR identifier)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:04

# EAST Search History

S52	3700	header WITH message WITH (id OR identifier)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:14
S53	11	corba WITH header	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:14
S54	2023	header WITH message WITH identifier	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:19
S55	594	S54 AND "709"/\$.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:19
S56	88	S54 AND "709"/217-219. CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:15
S57	0	(insert ADJ identifier ADJ header) WITH message	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:19
S58	0	(insert ADJ identifier ADJ header)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 14:19

# EAST Search History

S59	1201	((identifier OR (unique ADJ id)) NEAR5 header) WITH message	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:39
S60	204	graphical\$2 WITH display WITH network WITH (traffic OR messages)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 15:03
S61	59	S60 AND "709"/\$.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 15:02
S62	29	visualize WITH network WITH (traffic OR messages)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 15:22
S63	2	("5768552").PN.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/09 15:22
S64	126	fully ADJ qualified ADJ class ADJ name	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:36
S65	11	(fully ADJ qualified ADJ class ADJ name) WITH unique\$2	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:36

# EAST Search History

S66	929	((identifier OR (unique ADJ id)) NEAR5 header) NEAR5 message	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:40
S67	135	S66 AND "709"/\$.CCLS. AND @ad < "20020207"	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/09 16:40
S68	8	knitter-jay\$.in. OR knitter-jason\$.in.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/11 12:55
S69	56844	hewlett-packard\$.as.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/11 12:55
S70	31	S69 AND (simple ADJ object ADJ access ADJ protocol)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/11 12:55